


Ratchet lever hoists *Yalehandy*

Ratchet lever hoist *Yalehandy*

Capacities 250 - 500 kg

This hoist is the smallest, lightest Yale ratchet lever hoist for professional applications. Due to the multitude of application possibilities this new ratchet lever hoist is an indispensable tool e.g. in industry, trade and service. The extreme low tare weight and the very compact design make the hoist easy to use even in confined working conditions. The enclosed design protects the internal parts against the ingress of dust, foreign particles and corrosion. The short and ergonomic hand lever makes the hoist easy to operate. The standard free chaining device serves to quickly attach the load or to pull the chain through the hoist in both directions. The drop forged suspension and load hooks that yield under overload instead of breaking are made from non-ageing, high tensile alloy steel. The hooks are fitted with robust safety latches and are free to rotate 360°. All parts of the disc type load brake are manufactured from high quality materials and are corrosion protected.



Smallest hook dimensions:
240 mm (250 kg capacity)

Ratchet lever hoists

Technical data



Model	Capacity kg	Number of chain falls	Chain dimensions d x p in mm	Lift with one full lever turn mm	Handle pull at WLL daN	Weight with std. lift kg
Pul-Lift D85	750	1	6 x 18,5	111	38	8,2
	1500	1	9 x 27	45	31	16,3
	3000	1	11 x 31	33	40	19,6
	6000	2	11 x 31	17	42	32,9
	10000	3	11 x 31	11	37	60
Pul-Lift C85	750	1	5/8" x 3/8"	115	38	8,7
	1500	1	1" x 1/2"	45	31	17
	3000	1	1 1/4" x 5/8"	36	40	22,2
	6000	2	1 1/4" x 5/8"	18	44	38
	10000	3	1 1/4" x 5/8"	12	44	67
Pul-Lift D95	1500	1	6,2 x 18,5	35	27	9,9
	3000	1	9 x 27,2	38	49	16,5
AL	750	1	6,3 x 19,1	30	16	6,4
	1000	1	6,3 x 19,1	30	22	6,6
	1500	1	7,1 x 21,2	16	18	10
	3000	1	10 x 30,2	14	28	18
PT	800	1	5,6 x 17,1	24	26	5,5
	1600	1	7,1 x 21,2	23	30	9,6
	3200	1	9 x 27,2	16	38	16
	6300	2	9 x 27,2	8	39	31
UNO	750	1	6 x 18	20	14	7
	1500	1	8 x 24	22	22	11
	3000	1	10 x 30	17	34	21
	6000	2	10 x 30	9	35	30
Yalehandy	250	1	4 x 12	80	25	2,2
	500	1	4 x 12	40	25	2,8

Dimensions ratchet lever hoists


Model	Capacity in kg	A _{min.} mm	B mm	C mm	D mm	D ₁ mm	E mm	F mm	G mm	H mm	J mm	K mm	L mm
Pul-Lift D85	750	322	21	27	15	17	443	112	56	56	142	39	103
	1500	389	27	30	20	23	443	189	134	55	171	72	99
	3000	403	35	34	25	25	570	197	142	55	179	76	103
	6000	532	48	46	40	40	570	197	142	55	218	76	142
	10000	805	61	54	40	45	570	305	163	142	218	76	142
Pul-Lift C85	750	322	21	27	15	17	443	112	56	56	142	39	103
	1500	389	27	30	20	23	443	189	134	55	171	72	99
	3000	403	35	34	25	25	570	197	142	55	179	76	103
	6000	560	48	46	40	40	570	197	142	55	218	76	142
	10000	785	61	54	40	45	570	305	163	142	218	76	142
Pul-Lift D95	1500	314	23	23	18	18	315	156	112	44	141	49,5	92
	3000	376	30	25	22	22	443	189	134	55	177	72	105
AL	750	315	20	22	14	–	300	106	47	59	154	49	105
	1000	325	23	23	16	–	300	109	47	62	154	49	105
	1500	380	27	26	20	–	300	138	60	78	177	74	103
	3000	455	36	33	24	–	400	168	75	93	212	94	118
PT	800	290	21	24	13	–	235	120	38	82	142	52	90
	1600	330	27	31	20	–	370	138	41	97	163	65	98
	3200	430	36	35	24	–	370	177	53	124	185	83	102
	6300	580	53	46	43	–	3750	259	85	174	185	83	102
UNO	750	295	21	24	13	–	235	111	33	78	142	55	87
	1500	380	29	32	20	–	350	140	49	91	166	66	100
	3000	420	37	35	24	–	350	174	60	114	184	79	105
	6000	570	54	44	43	–	350	239	77	162	184	79	105
Yalehandy	250	240	20	21	14	–	160	72	33	39	98	21	77
	500	282	17	24	12	–	160	104	38	66	116	36	80

Pul-Lift C/D85

750 - 10.000 kg


Pul-Lift D95

1.500 - 3.000 kg




Model AL

750 - 3.000 kg



Model Yalehandy

250 - 500 kg



Model PT

800 - 6.300 kg

Model UNO

750 - 6.000 kg

